


| | | |
|----------|-----------|------|
| DIN 1473 | ~ISO 8740 | KS 3 |
|----------|-----------|------|



Standard withdrawn



| |
|--------------------------------------------------------------------------------------|
| BN 884 |
| Grooved pins |
| full length parallel grooved |
| Steel 11SMnPb30 |
| plain |
| <ul style="list-style-type: none"> • ~UNI 7587 • ~CSN 022173 |

i Other supply possibilities on request:
- grooved pins made of stainless steel or plastic

| Article# | d ₁ | ± | c~ | Tolerance hole | L |
|----------|----------------|----|------|----------------|----|
| 1342614 | 1 | h9 | 0,12 | H11 | 4 |
| 1342622 | | | | | 5 |
| 1342630 | | | | | 6 |
| 1342711 | 1,5 | h9 | 0,2 | H11 | 4 |
| 1342738 | | | | | 5 |
| 1342746 | | | | | 6 |
| 1342754 | | | | | 8 |
| 1342762 | | | | | 10 |
| 1342770 | | | | | 12 |
| 1342827 | 2 | h9 | 0,25 | H11 | 4 |
| 1342835 | | | | | 5 |
| 1342843 | | | | | 6 |
| 1342851 | | | | | 8 |
| 1342878 | | | | | 10 |
| 1342886 | | | | | 12 |
| 1342908 | | | | | 16 |
| 1342924 | | | | | 20 |
| 1342991 | 2,5 | h9 | 0,3 | H11 | 8 |
| 1343009 | | | | | 10 |
| 1343017 | | | | | 12 |
| 1343033 | | | | | 16 |
| 1343122 | 3 | h9 | 0,4 | H11 | 6 |
| 1343130 | | | | | 8 |
| 1343149 | | | | | 10 |
| 1343157 | | | | | 12 |
| 1343173 | | | | | 16 |
| 1343203 | | | | | 20 |

| Article# | d ₁ | ± | c~ | Tolerance hole | L |
|----------|----------------|-----|-----|----------------|----|
| 1151118 | 3 | h9 | 0,4 | H11 | 25 |
| 1343262 | | | | | 30 |
| 1343297 | | | | | 40 |
| 1343300 | 4 | h11 | 0,5 | H11 | 6 |
| 1343319 | | | | | 8 |
| 1343327 | | | | | 10 |
| 1343335 | | | | | 12 |
| 1343351 | | | | | 16 |
| 1343386 | | | | | 20 |
| 1151134 | | | | | 25 |
| 1343432 | | | | | 30 |
| 1151142 | | | | | 35 |
| 1343467 | | | | | 40 |
| 1343513 | 5 | h11 | 0,6 | H11 | 8 |
| 1343521 | | | | | 10 |
| 1343548 | | | | | 12 |
| 1343564 | | | | | 16 |
| 1343580 | | | | | 20 |
| 1151150 | | | | | 25 |
| 1343637 | | | | | 30 |
| 1151169 | | | | | 35 |
| 1343661 | | | | | 40 |
| 1343688 | | | | | 45 |
| 1343696 | | | | | 50 |
| 1343742 | 6 | h11 | 0,8 | H11 | 12 |
| 1343769 | | | | | 16 |
| 1343785 | | | | | 20 |
| 1151177 | | | | | 25 |
| 1343831 | | | | | 30 |
| 1151185 | | | | | 35 |
| 1343874 | | | | | 40 |
| 1343882 | | | | | 45 |
| 1343890 | | | | | 50 |
| 1343912 | | | | | 60 |
| 1344005 | 8 | h11 | 1 | H11 | 20 |
| 1151193 | | | | | 25 |
| 1344064 | | | | | 30 |
| 1151207 | | | | | 35 |
| 1344099 | | | | | 40 |
| 1344102 | | | | | 45 |
| 1344110 | | | | | 50 |

| Article# | d ₁ | ± | c~ | Tolerance hole | L |
|----------|----------------|-----|-----|----------------|----|
| 1344137 | 8 | h11 | 1 | H11 | 60 |
| 1344226 | 10 | h11 | 1,2 | H11 | 16 |
| 1344242 | | | | | 20 |
| 1151215 | | | | | 25 |
| 1344293 | | | | | 30 |
| 1151223 | | | | | 35 |
| 1344323 | | | | | 40 |
| 1344358 | | | | | 50 |
| 1344374 | | | | | 60 |