



**BN 883****Grooved taper pins**

half length taper grooved

Steel 11SMnPb30

plain

- ~UNI 7588
- ~CSN 022171


 As hinge pin in doors

Article#	d ₁	±	c~	Tolerance hole	L
1339788	1,5	h9	0,2	H11	6
1339796					8
1339818					10
1339826					12
1339842					16
1339877	2	h9	0,25	H11	6
1339885					8
1339893					10
1339907					12
1339923					16
1339958					20
1340026	2,5	h9	0,3	H11	6
1340034					8
1340042					10
1340050					12

Article#	d1	±	c~	Tolerance hole	L
1340077	2,5	h9	0,3	H11	16
1340093					20
1340166	3	h9	0,4	H11	6
1340174					8
1340182					10
1340190					12
1340212					16
1340239					20
1150936					25
1340298					30
1150944					35
1340336					40
1340344	4	h11	0,5	H11	10
1340352					12
1340379					16
1340395					20
1150952					25
1340441					30
1150960					35
1340484					40
1340492					45
1340506					50
1340530	5	h11	0,6	H11	10
1340549					12
1340565					16
1340581					20
8174326					(24)
1150979					25
1340654					30
1150987					35
1340689					40
1340735	6	h11	0,8	H11	10
1340743					12
1340778					16
1340794					20
1150995					25
1340840					30
1340875					40
1340891					50
1340972	8	h11	1	H11	16
1340999					20

Article#	d ₁	±	c~	Tolerance hole	L
1151010	8	h11	1	H11	25
1341049					30
1151029					35
1341073					40
1341081					45
1341103					50
1341138					60
1341278	10	h11	1,2	H11	30
1151045					35
1341308					40
1341316					45
1341324					50
1341340					60
1151053	12	h11	1,6	H11	25
1341545					40